

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Universal Cleaner 121 Reiniger Spraydose

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Spray cleaner for electrotechnical use

1.3 Details of the supplier of the safety data sheet

Address

Cellpack GmbH
Electrical Products
Carl-Zeiss-Strasse 20
79761 Waldshut-Tiengen

Telephone no. +49 (0)7741 6007-0

Fax no. +49 (0)7741 64989

Information provided by / telephone

+49 (0)7741 6007-0

Advice on Safety Data Sheet

msds@cellpack.com

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Directive 67/548/EEC or 1999/45/EC

F+; R12

R67


Xi; R36/38

R52/53


2.2 Label elements

Labelling according to Directive 1999/45/EC

Hazard symbols



Extremely flammable



Irritant

R phrases

12

36/38

52/53

67

Extremely flammable.

Irritating to eyes and skin.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Vapours may cause drowsiness and dizziness.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

S phrases

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition — No smoking.
- 23.4 Do not breathe spray.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29 Do not empty into drains.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

Supplemental label elements

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Keep out of the reach of children.

Contains approx. 95 percent by mass of flammable ingredients.

2.3 Other hazards

During and after use possible formation of combustible mixture with solvents.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical characterization

Substance name aerosol

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification 67/548/EEC	Concentration
			%-b.w.
1	propan-2-ol		
	67-63-0 200-661-7 603-117-00-0 -	F; R11 Xi; R36 R67	> 30.00 - < 50.00 %-b.w.
2	acetone		
	67-64-1 200-662-2 606-001-00-8 -	F; R11 Xi; R36 R66 R67	> 20.00 - < 30.00 %-b.w.
3	Naphtha (petroleum), hydrotreated light		
	64742-49-0 265-151-9 649-328-00-1 -	F; R11 Xn; R65 Xi; R38 N; R51/53 R67	> 20.00 - < 30.00 %-b.w.
4	carbon dioxide		
	124-38-9 204-696-9 - -	-	> 0.00 - < 5.00 %-b.w.

Full Text for all R-phrases: pls. see section 16

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when sickness symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Remove soiled or soaked clothing immediately.

After inhalation

Remove to fresh air, keep patient warm and at rest. Irregular breathing/no breathing: artificial respiration. If unconscious place in recovery position and seek medical advice.

After skin contact

Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners!

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

After ingestion

Do not induce vomiting. Summon a doctor immediately. Never give anything by mouth to an unconscious person. Keep at rest.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Exposure to heat may cause bursting of the aerosol packagings.

5.3 Advice for firefighters

When extinguishing fires, use breathing apparatus with an independent source of air. Cool endangered containers with water in case of fire. DO NOT ALLOW RUN-OFF FROM FIRE FIGHTING TO ENTER DRAINS OR WATER COURSES

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Do not inhale vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not allow to enter drains. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see chapter 13). Clean preferably with a detergent; avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentrations higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Comply with the health and safety at work laws.

General protective and hygiene measures

Do not eat or drink during work - no smoking.

Advice on protection against fire and explosion

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep container dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Storage rooms must be properly ventilated.

Advice on storage assembly

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	propan-2-ol	67-63-0	200-661-7
List of approved workplace exposure limits (WELs) / EH40			
Propan-2-ol			
	STEL	1250 mg/m ³	500 ml/m ³
	TWA	999 mg/m ³	400 ml/m ³
2	acetone	67-64-1	200-662-2
2000/39/EWG			
Acetone			
	TWA	1210 mg/m ³	500 ml/m ³
List of approved workplace exposure limits (WELs) / EH40			
Acetone			
	STEL	3620 mg/m ³	1500 ml/m ³
	TWA	1810 mg/m ³	500 ml/m ³
3	carbon dioxide	124-38-9	204-696-9
List of approved workplace exposure limits (WELs) / EH40			
Carbon dioxide			
	STEL	27400 mg/m ³	15000 ml/m ³
	TWA	9150 mg/m ³	5000 ml/m ³
2006/15/EG			
Kohlendioxid			
	TWA	9000 mg/m ³	5000 ml/m ³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators: Use half-mask model with cartridge or air-fed.

Recommendation: gas filter AX, code colour: brown

Eye / face protection

Wear safety goggles to protect against solvent splashes.

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

In case of short-term contact / splash protection:

Appropriate Material	nitrile rubber		
Material thickness	min.	0.425	mm
Breakthrough time	>=	480	min.

Other

Personal should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form/Colour	
Aerosol	
colourless	
Odour	
solvent-like	
Odour threshold	
No data available	
pH value	
No data available	
Boiling point / boiling range	
Not applicable	
Melting point / melting range	
No data available	
Decomposition point / decomposition range	
No data available	
Flash point	
Not applicable	
Ignition temperature	
Value	> 200 °C
Auto-ignition temperature	
No data available	
Oxidising properties	
No data available	
Explosive properties	
The product does not have explosive properties.	

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

Flammability (solid, gas)
No data available

Lower flammability or explosive limits
No data available

Upper flammability or explosive limits
No data available

Vapour pressure
No data available

Vapour density
No data available

Evaporation rate
No data available

Relative density
No data available

Density	
Value	0.62 g/cm ³
Reference temperature	23 °C
Method	ASTM D 792

Solubility in water	
Remarks	insoluble

Solubility(ies)
No data available

Partition coefficient: n-octanol/water
No data available

Viscosity
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

No data available.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions(See section 7).

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity
No data available
Acute dermal toxicity
No data available
Acute inhalational toxicity
No data available
Skin corrosion/irritation
No data available
Serious eye damage/irritation
No data available
Respiratory or skin sensitisation
No data available
Germ cell mutagenicity
No data available
Reproduction toxicity
No data available
Carcinogenicity
No data available
STOT-single exposure
No data available
STOT-repeated exposure
No data available
Aspiration hazard
No data available
Delayed and immediate effects as well as chronic effects from short and long-term exposure
Exposure of vapour concentration in excess of the stated OEL's may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue muscular weakness, drowsiness and in extrem cases, loss of consciousness. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage.
Other information
The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined within General Directive on Preparations (1999/45/EC).

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Fish toxicity
No data available
Daphnia toxicity
No data available
Algae toxicity
No data available
Bacteria toxicity
No data available

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No data available.

12.7 Other information

Other information
There are no data available on the preparation itself. For components which are dangerous for the environment see section 3.
The product should not be allowed to enter drains or water courses.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company. Hand over only completely emptied aerosol cans for valuable substance recovery!

Packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of in agreement with the regional waste disposal company.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class	2
Classification code	5F
UN number	UN1950
Technical name	AEROSOLS
Tunnel restriction code	D
Label	2.1

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

14.2 Transport IMDG

Class	2
UN number	UN1950
Proper shipping name	AEROSOLS
EmS	F-D+S-U
Label	2.1
Remarks	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II at least.

14.3 Transport ICAO-TI / IATA

Class	2.1
UN number	UN1950
Proper shipping name	Aerosols, flammable
Label	2.1
Remarks	The outer packings (boxes or cartons) should comply with the Regulations of Packing Group II (IATA-Regulation 5.2 PI203).

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, pls. see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Restriction of occupation

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

EC Directive 67/548/EC resp. 1999/45/EC as amended in each case.
 Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.
 EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EC
 National Threshold Limit Values of the corresponding countries as amended in each case.
 Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.
 The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.

Full text of the R-, H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

R11	Highly flammable.
R36	Irritating to eyes.
R38	Irritating to skin.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.

EC safety data sheet

Trade name: Universal Cleaner 121 Reiniger Spraydose

Product no.: L1

Current version : 2.1.0, issued: 22.01.2013

Replaced version: 2.0.0, issued: 07.03.2012

Region: GB

This information is based on our present state of knowledge and experience.
The security data sheet describes products with a view to the security requirements.
However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.